

## ALLERGENIC TREES OF OHIO1

	LAKE ERIE		DRIFT	PLAIN	COR	N BELT	BLUE- GRASS	WEST	TERN ALLEC	SHENY PL	ATEAU
	Toledo	Cleveland	Mansfield	Youngs- town	Dayton	Columbus	Cincinnati	Athens	Steuben- ville	Ports- mouth	Gallipolis
CROSS-REACTIVE TREE	ES										
Alder, Tag/Smooth											
Birch, Black/Sweet											
Birch, Red/River											
Birch, White											
Hazelnut											
Ash, Red/Green Ash, White											
Aspen											
Cottonwood, Eastern											
Poplar, White											
Willow, Black <sup>2</sup>											
Willow, Pussy <sup>2</sup>							<u> </u>				
Beech, American											
Oak, Black											
Oak, Bur											
Oak, Post											
Oak, Red											
Oak, White											
Box Elder											
Maple, Red											
Maple, Soft/Silver											
Maple, Sugar/Hard											
Elm, American											
Elm, Siberian											
Hickory, Pignut											
Hickory, Shagbark											
Hickory, Shellbark											
Hickory, White (Mockernut)											
Pecan Provide											
Walnut, Black <sup>2</sup>											
Mulberry, Paper											
Mulberry, Red											
Mulberry, White											
Pine, Virginia/Scrub											
Pine, White											
Pine, Yellow (Shortleaf)											
OTHER TREES											
Bald Cypress											
Cedar, Red											
Hackberry											
Locust, Black <sup>3</sup>											
Privet, Common <sup>3</sup>											
Sweet Gum											
Sycamore, Eastern											

Present in area Absent in area or unconfirmed

<sup>&</sup>lt;sup>1</sup> Species grouped in boxes are cross-reactive <sup>2</sup> Italicized species demonstrate only moderate cross-reactivity with other(s) in the respective box

<sup>&</sup>lt;sup>3</sup> This species is insect-pollinated



## ALLERGENIC GRASSES OF OHIO1

	LAKE ERIE		DRIFT	PLAIN	CORI	N BELT	BLUE- GRASS	WEST	TERN ALLE	GHENY PLATEAU		
	Toledo	Cleveland	Mansfield	Youngs- town	Dayton	Columbus	Cincinnati	Athens	Steuben- ville	Ports- mouth	Gallipolis	
CROSS-REACTIVE GRA	SSES											
Blue, Canada												
Blue, Kentucky/June												
Brome, Smooth												
Canarygrass, Reed												
Couch/Quack												
Meadow Fescue												
Orchard												
Redtop												
Rye, Italian												
Rye, Perennial												
Sweet Vernal <sup>2</sup>												
Timothy												
Velvet <sup>2</sup>												
OTHER GRASSES												
Bermuda												
Johnson												
<sup>1</sup> Species grouped in boxes	are cross-r	eactive										

 $<sup>^{\</sup>rm 1}$  Species grouped in boxes are cross-reactive  $^{\rm 2}$  Italicized species demonstrate only moderate cross-reactivity with other(s) in the respective box



## ALLERGENIC WEEDS OF OHIO1

	LAKE ERIE		DRIFT	PLAIN	CORN BELT		BLUE- GRASS	WESTERN ALLEGHENY		SHENY PL	' PLATEAU	
	Toledo	Cleveland	Mansfield	Youngs- town	Dayton	Columbus	Cincinnati	Athens	Steuben- ville	Ports- mouth	Gallipolis	
CROSS-REACTIVE WEEDS												
Dock, Yellow												
Sorrel, Sheep/Red												
Mugwort, Common												
Mugwort, Darkleaved												
Wormwood, Annual												
Pigweed, Rough/Redroot												
Pigweed, Spiny												
Western Water Hemp												
Ragweed, Giant												
Ragweed, Short												
Ragweed, Southern												
Ragweed, Western												
OTHER WEEDS												
Cocklebur												
Kochia/Firebush												
Lamb's Quarter												
Marsh Elder, True/Rough												
Mexican Tea												
Nettle												
Plantain, English												
<sup>1</sup> Species grouped in boxes	are cross-r	eactive						F	Present in ar	ea		